

Lab-Sample Number: N00015080004
Project Name: 16UDWI
Sample Description: spring-roadside corner's creek pike

Field Determinations
pH: 7.11 pH Units
Chlorine, residual:
Conductivity:
Temperature: 14.74
Dissolved Oxygen: 12.92 mg/L
Other: ORP: 356
Flow: CFS

Sampler Project Name: 16UDWI
Project Site No.:
Station No.: 16UDWI 3
Date/Time Collected: 03/03/2016 12:06
Sampler's Name: J. Manners
County: MAURY - 60
Sample Matrix: Water
EFO: Nashville
Sampling Agency: TDOH
Billing Code: HL00017233
Send Report To: TDOH
Priority Date:
Date/Time Received: 03/03/2016 15:05

Agency Invoiced: TDOH

Received By: K Parks

TEST: ICP-MS		METHOD: EPA 200.8				
PERFORMING LAB: Nashville						
ANALYTE	RESULT	UNITS	MDL	ML	ANALYZED BY:	DATE
Vanadium	U	µg/L	2.2	5	S Spence	3/14/2016
Zinc	1.6J	µg/L	1.1	5	S Spence	3/14/2016

TEST: Mercury		METHOD: EPA 245.1				
PERFORMING LAB: Nashville						
ANALYTE	RESULT	UNITS	MDL	ML	ANALYZED BY:	DATE
Mercury	U	µg/L	0.046	0.2	A Wilson	3/17/2016

TEST: Total Hardness By Calculation		METHOD: SM 2340B				
PERFORMING LAB: Nashville						
ANALYTE	RESULT	UNITS	MDL	ML	ANALYZED BY:	DATE
Total Hardness By Calculation	160	mg/L	0.17	0.66	M Pattanayek	3/10/2016